

60₊

of experience as a truck maker

350, 000, UTES

produced by JAC & already doing the mahi

130₊ countries

that JAC is proven in

With eight no-nonsense-named colours, there's a JAC to match your fleet

100₊

of JAC's NZ team supporting Kiwis





10.4" INFOTAINMENT TOUCH-SCREEN WITH ANDROID AUTO ™ & APPLE CARPLAY



PIE WARMER/DRINKS COOLER: CENTRE CONSOLE HOT + COOL BOX (RUNS OFF AC SYSTEM)



WIRELESS SMART PHONE CHARGING & USB-A



360° CAMERA



RADIO FOR THE TUUUUNES



LEATHERETTE ACCENTED INTERIOR



SPACIOUS BACKSEATS WITH A GENEROUS 26 DEGREE RECLINE



CABIN CLIMATE CONTROL TO KEEP THINGS COOL OR WARM 'ER UP!



220V POWER PLUG, USB-A, AND USB-C IN 7 INCH COLOUR INSTRUMENT CLUSTER THE BACK





64-COLOUR LED TAILORED AMBIENT MOOD LIGHTING SYSTEM - IT CAN BE SYNCED TO YOUR MUSIC



FRONT & BACK PARKING SENSORS



EXTRA PIE WARMERS AKA HEATED FRONT SEATS




PLENTY OF STORAGE





JAC HAMMER: EMERGENCY GLASS BREAK HAMMER

LTOTHEB





Kitted out from factory with included accessories & spray on liner. Additional genuine & local Kiwi options are available. Chat to your dealer for more options & info.



TESTED FOR KINIS BY KINS

Before launching here in NZ we've thrown a 'whole lotta NZ' at it, completing on and off-road testing of the JAC T9 ute.

We've tested on snow, ice, sand, grass, metal roads, mud, river crossings, tarmac and more... oh, and we took it on the toughest test of all... a family road trip with kids in the back seat.

JAC T9



1T PAYLOAD (1045KG TO BE EXACT)



76L FUEL TANK CAPACITY



TURBO DIESEL 2.0L ENGINE





650MM FRESH WATER WADING DEPTH



4X4 CAPABILITY WITH MODES: NORMAL, ECO, SPORT, SNOW



LEAF SPRING RIGID AXLE REAR SUSPENSION REAR DIFF-LOCK FOR THE TRICKY STUFF





TOW 3200KG BRAKED / 750KG UN-BRAKED HILL-START HOLD CONTROL 320KG TOWBALL DOWNLOAD 1





TRAILER MODE



FUEL CONSUMPTION COMBINED 7 61/100KM



PROUDLY BACKED **BY KIWIS**

We're here to support you with JAC's NZ owned team, the JAC T9 has a 5 Year / 200,000km Warranty + 24/7 Roadside Assist (whichever occurs first).

The T9 shares DNA & many top parts suppliers with its truck range, also available in NZ. JAC has been a truck maker for over 60 years.

BORGWAY BORGWAY TO BE TO BE







BOSCH




TOP SAFEST UTE

Keep the crew safe: The T9 is ranked as one of NZ's safest utes according to ANCAP test results. Plus, it's equipped with 18 ADAS features.













AUTONOMOUS EMERGENCY BRAKING (AEB) LANE DEPARTURE WARNING (LDW) & LANE KEEP ASSIST (LKA) & EMERGENCY LANE KEEPING (ELK)



FORWARD COLLISION WARNING (FCW)



REAR COLLISION WARNING (RCW)



SPEED LIMIT ASSIST (SLA)



REAR AUTONOMOUS EMERGENCY BRAKING REAR CROSS TRAFFIC ALERT (RCTA) (R-AEB)





TRAFFIC JAM ASSIST (TJA)



BLIND SPOT DETECTION (BSD)



ADAPTIVE CRUISE CONTROL (ACC) & INTEGRATED CRUISE ASSIST (ICA)



DRIVER MONITORING SYSTEM (DMS)



HILL-START HOLD CONTROL (HHC)



l
1
[9]
(H)
1][[
/ =
SI
Ľ
ľ
1
P-
0
4
ľ
l
:
K
;
۱
И
H
Į

THE KEY STATS	
Cab	Double Cab
Transmission	Automatic 8 Speed
Drive	4WD on the fly with High-Low + Diff-Lock
Engine	2.0L Turbo Diesel JAC's 4th generation of ute engine
Safety	5 Star ANCAP
Tow Rating	3.2T Braked / 750kg Un-Braked
Pay Load	1T (1045kg to be exact)
Fuel Economy	7.6L/100km Combined WLTP
ENGINE	
Туре	Common Rail + EGR + DOC + DPF
Fuel + Tank Size	Diesel - 76L Tank
Max. Power	125kW @ 3600rpm
Max. Torque	410Nm @1500~2500rpm
Capacity	1999cc w/ 4 Cylinders
TRANSMISSION	
Speed	8 Speed
Model & Make	ZF + BorgWarner
Driving Modes	Standard, Economy, Sport, Snow
SUSPENSION	, , , , , , , , , , , , , , , , , , ,
Front	Double wishbone independent suspension with coil spring
Rear	Non-independent leaf spring rigid axle rear suspension
BRAKES & TYRES (SEE MORE IN SAFETY)	
D 1 T	
Brake Type	Disc Brakes Front & Rear
Park Brake & Auto Hold	Disc Brakes Front & Rear Electronic Park Break with Auto Hold
Park Brake & Auto Hold	Electronic Park Break with Auto Hold
Park Brake & Auto Hold Tyre Size	Electronic Park Break with Auto Hold 265/60R18 HTs with Full Size Spare
Park Brake & Auto Hold Tyre Size Wheels	Electronic Park Break with Auto Hold 265/60R18 HTs with Full Size Spare 18" Aluminium Alloy Rims
Park Brake & Auto Hold Tyre Size Wheels TPMS	Electronic Park Break with Auto Hold 265/60R18 HTs with Full Size Spare 18" Aluminium Alloy Rims
Park Brake & Auto Hold Tyre Size Wheels TPMS DIMENSIONS & CHASSIS	Electronic Park Break with Auto Hold 265/60R18 HTs with Full Size Spare 18" Aluminium Alloy Rims Tyre Pressure Monitoring System Galvanised Steel with high Zinc content of 40.9% and Internal Wax Injection to
Park Brake & Auto Hold Tyre Size Wheels TPMS DIMENSIONS & CHASSIS Chassis Material	Electronic Park Break with Auto Hold 265/60R18 HTs with Full Size Spare 18" Aluminium Alloy Rims Tyre Pressure Monitoring System Galvanised Steel with high Zinc content of 40.9% and Internal Wax Injection to enhance corrosion resistance
Park Brake & Auto Hold Tyre Size Wheels TPMS DIMENSIONS & CHASSIS Chassis Material Length / Width / Height (with mirrors out)	Electronic Park Break with Auto Hold 265/60R18 HTs with Full Size Spare 18" Aluminium Alloy Rims Tyre Pressure Monitoring System Galvanised Steel with high Zinc content of 40.9% and Internal Wax Injection to enhance corrosion resistance 5330 / 1965 / 1920mm
Park Brake & Auto Hold Tyre Size Wheels TPMS DIMENSIONS & CHASSIS Chassis Material Length / Width / Height (with mirrors out) Body Width (with mirrors folded)	Electronic Park Break with Auto Hold 265/60R18 HTs with Full Size Spare 18" Aluminium Alloy Rims Tyre Pressure Monitoring System Galvanised Steel with high Zinc content of 40.9% and Internal Wax Injection to enhance corrosion resistance 5330 / 1965 / 1920mm 1983mm
Park Brake & Auto Hold Tyre Size Wheels TPMS DIMENSIONS & CHASSIS Chassis Material Length / Width / Height (with mirrors out) Body Width (with mirrors folded) Wheelbase	Electronic Park Break with Auto Hold 265/60R18 HTs with Full Size Spare 18" Aluminium Alloy Rims Tyre Pressure Monitoring System Galvanised Steel with high Zinc content of 40.9% and Internal Wax Injection to enhance corrosion resistance 5330 / 1965 / 1920mm 1983mm 3110mm
Park Brake & Auto Hold Tyre Size Wheels TPMS DIMENSIONS & CHASSIS Chassis Material Length / Width / Height (with mirrors out) Body Width (with mirrors folded) Wheelbase GVM - Gross Vehicle Mass	Electronic Park Break with Auto Hold 265/60R18 HTs with Full Size Spare 18" Aluminium Alloy Rims Tyre Pressure Monitoring System Galvanised Steel with high Zinc content of 40.9% and Internal Wax Injection to enhance corrosion resistance 5330 / 1965 / 1920mm 1983mm 3110mm 3100kg
Park Brake & Auto Hold Tyre Size Wheels TPMS DIMENSIONS & CHASSIS Chassis Material Length / Width / Height (with mirrors out) Body Width (with mirrors folded) Wheelbase GVM - Gross Vehicle Mass Gross Curb Weight	Electronic Park Break with Auto Hold 265/60R18 HTs with Full Size Spare 18" Aluminium Alloy Rims Tyre Pressure Monitoring System Galvanised Steel with high Zinc content of 40.9% and Internal Wax Injection to enhance corrosion resistance 5330 / 1965 / 1920mm 1983mm 3110mm 3100kg 2055kg
Park Brake & Auto Hold Tyre Size Wheels TPMS DIMENSIONS & CHASSIS Chassis Material Length / Width / Height (with mirrors out) Body Width (with mirrors folded) Wheelbase GVM - Gross Vehicle Mass Gross Curb Weight Min. Ground Clearance	Electronic Park Break with Auto Hold 265/60R18 HTs with Full Size Spare 18" Aluminium Alloy Rims Tyre Pressure Monitoring System Galvanised Steel with high Zinc content of 40.9% and Internal Wax Injection to enhance corrosion resistance 5330 / 1965 / 1920mm 1983mm 3110mm 3100kg 2055kg 210mm
Park Brake & Auto Hold Tyre Size Wheels TPMS DIMENSIONS & CHASSIS Chassis Material Length / Width / Height (with mirrors out) Body Width (with mirrors folded) Wheelbase GVM - Gross Vehicle Mass Gross Curb Weight Min. Ground Clearance Max. Fresh Water Wading Depth	Electronic Park Break with Auto Hold 265/60R18 HTs with Full Size Spare 18" Aluminium Alloy Rims Tyre Pressure Monitoring System Galvanised Steel with high Zinc content of 40.9% and Internal Wax Injection to enhance corrosion resistance 5330 / 1965 / 1920mm 1983mm 3110mm 3100kg 2055kg 210mm 650mm
Park Brake & Auto Hold Tyre Size Wheels TPMS DIMENSIONS & CHASSIS Chassis Material Length / Width / Height (with mirrors out) Body Width (with mirrors folded) Wheelbase GYM - Gross Vehicle Mass Gross Curb Weight Min. Ground Clearance Max. Fresh Water Wading Depth INCLUDED ACCESSORIES	Electronic Park Break with Auto Hold 265/60R18 HTs with Full Size Spare 18" Aluminium Alloy Rims Tyre Pressure Monitoring System Galvanised Steel with high Zinc content of 40.9% and Internal Wax Injection to enhance corrosion resistance 5330 / 1965 / 1920mm 1983mm 3110mm 3100kg 2055kg 210mm 650mm See Your Dealer For More Accessories
Park Brake & Auto Hold Tyre Size Wheels TPMS DIMENSIONS & CHASSIS Chassis Material Length / Width / Height (with mirrors out) Body Width (with mirrors folded) Wheelbase GVM - Gross Vehicle Mass Gross Curb Weight Min. Ground Clearance Max. Fresh Water Wading Depth INCLUDED ACCESSORIES Roof Rails Side Steps	Electronic Park Break with Auto Hold 265/60R18 HTs with Full Size Spare 18" Aluminium Alloy Rims Tyre Pressure Monitoring System Galvanised Steel with high Zinc content of 40.9% and Internal Wax Injection to enhance corrosion resistance 5330 / 1965 / 1920mm 1983mm 3110mm 3100kg 2055kg 210mm 650mm See Your Dealer For More Accessories Standard Included Black Rock Sliders - Included
Park Brake & Auto Hold Tyre Size Wheels TPMS DIMENSIONS & CHASSIS Chassis Material Length / Width / Height (with mirrors out) Body Width (with mirrors folded) Wheelbase GVM - Gross Vehicle Mass Gross Curb Weight Min. Ground Clearance Max. Fresh Water Wading Depth INCLUDED ACCESSORIES Roof Rails Side Steps Sports Bar	Electronic Park Break with Auto Hold 265/60R18 HTs with Full Size Spare 18" Aluminium Alloy Rims Tyre Pressure Monitoring System Galvanised Steel with high Zinc content of 40.9% and Internal Wax Injection to enhance corrosion resistance 5330 / 1965 / 1920mm 1983mm 3110mm 3100kg 2055kg 210mm 650mm See Your Dealer For More Accessories Standard Included Black Rock Sliders - Included
Park Brake & Auto Hold Tyre Size Wheels TPMS DIMENSIONS & CHASSIS Chassis Material Length / Width / Height (with mirrors out) Body Width (with mirrors folded) Wheelbase GVM - Gross Vehicle Mass Gross Curb Weight Min. Ground Clearance Max. Fresh Water Wading Depth INCLUDED ACCESSORIES Roof Rails Side Steps Sports Bar Tub Liner	Electronic Park Break with Auto Hold 265/60R18 HTs with Full Size Spare 18" Aluminium Alloy Rims Tyre Pressure Monitoring System Galvanised Steel with high Zinc content of 40.9% and Internal Wax Injection to enhance corrosion resistance 5330 / 1965 / 1920mm 1983mm 3110mm 3100kg 2055kg 210mm 650mm See Your Dealer For More Accessories Standard Included Black Rock Sliders - Included
Park Brake & Auto Hold Tyre Size Wheels TPMS DIMENSIONS & CHASSIS Chassis Material Length / Width / Height (with mirrors out) Body Width (with mirrors folded) Wheelbase GVM - Gross Vehicle Mass Gross Curb Weight Min. Ground Clearance Max. Fresh Water Wading Depth INCLUDED ACCESSORIES Roof Rails Side Steps Sports Bar Tub Liner LIGHTS	Electronic Park Break with Auto Hold 265/60R18 HTs with Full Size Spare 18" Aluminium Alloy Rims Tyre Pressure Monitoring System Galvanised Steel with high Zinc content of 40.9% and Internal Wax Injection to enhance corrosion resistance 5330 / 1965 / 1920mm 1983mm 3110mm 3100kg 2055kg 210mm 650mm See Your Dealer For More Accessories Standard Included Black Rock Sliders - Included Spray-On Black - Included
Park Brake & Auto Hold Tyre Size Wheels TPMS DIMENSIONS & CHASSIS Chassis Material Length / Width / Height (with mirrors out) Body Width (with mirrors folded) Wheelbase GVM - Gross Vehicle Mass Gross Curb Weight Min. Ground Clearance Max. Fresh Water Wading Depth INCLUDED ACCESSORIES Roof Rails Side Steps Sports Bar Tub Liner LIGHTS LED Headlights - Auto Leveling, with	Electronic Park Break with Auto Hold 265/60R18 HTs with Full Size Spare 18" Aluminium Alloy Rims Tyre Pressure Monitoring System Galvanised Steel with high Zinc content of 40.9% and Internal Wax Injection to enhance corrosion resistance 5330 / 1965 / 1920mm 1983mm 3110mm 3100kg 2055kg 210mm 650mm See Your Dealer For More Accessories Standard Included Black Rock Sliders - Included Black - Included Spray-On Black - Included
Park Brake & Auto Hold Tyre Size Wheels TPMS DIMENSIONS & CHASSIS Chassis Material Length / Width / Height (with mirrors out) Body Width (with mirrors folded) Wheelbase GVM - Gross Vehicle Mass Gross Curb Weight Min. Ground Clearance Max. Fresh Water Wading Depth INCLUDED ACCESSORIES Roof Rails Side Steps Sports Bar Tub Liner LIGHTS	Electronic Park Break with Auto Hold 265/60R18 HTs with Full Size Spare 18" Aluminium Alloy Rims Tyre Pressure Monitoring System Galvanised Steel with high Zinc content of 40.9% and Internal Wax Injection to enhance corrosion resistance 5330 / 1965 / 1920mm 1983mm 3110mm 3100kg 2055kg 210mm 650mm See Your Dealer For More Accessories Standard Included Black Rock Sliders - Included Black - Included Spray-On Black - Included

SAFETY	5 Star ANCAP
7 Air Bag System including Front Centre Air Bag between passengers	
ABS - Anti-Lock Braking System	HDC - Hill Descent Control
EBD - Electronic Brake Force Distribution	HBA - Hydraulic Brake Assist
BOS - Brake Override System	TCS - Traction Control System
HHC - Hill-start Hold Control	VDC - Vehicle Dynamics Control
TPMS - Tyre Pressure Monitoring System	Alerts if tyre pressure is low or high
BSD - Blind Spot Detection	Alerts you to traffic in blind spot
LCA - Lane Change Assist	Operates from 20kmh
RCTA - Rear Cross Traffic Alert	Alerts you to traffic crossing rear of vehicle
DOW - Door Open Warning	Warns of traffic when opening doors
LDW - Lane Departure Warning	Alerts you when drifting from lane
LKA - Lane Keeping Assist	Assists in steering the vehicle in lane
ELK - Emergency Lane Keeping	Emergency steering to avoid collision
TSR - Traffic Sign Recognition	Reads and displays speed in dash
SLA - Speed Limit Assist	Set a warning or a limit to match the TSR
AEB - Autonomous Emergency Braking	Emergency Braking to avoid Front Collision
R-AEB - Rear AEB	Emergency Braking to avoid Rear Collision
FCW - Forward Collision Warning	Alert to potential front collision
RCW - Rear Collision Warning	Alert to potential rear collision
ACC - Adaptive Cruise Control	Cruise with front vehicle detection
ICA - Integrated Cruise Assist	ACC with Lane Keeping Assist
TJA - Traffic Jam Assist	Adaptive Cruise for Low Speed traffic
DMS - Driver Monitoring Systems	Monitor and Alert for Fatigue/Distraction
IHBC - Intelligent High Beam Control	Auto switches lights to/from High Beam with oncoming traffic
INTERIOR	
All Black Leatherette Accented Interior with Black Cabin Ceiling Lining	

Heated and Electric Adjustable Front Seats

Sunglasses Storage & Illuminated Visor Mirror

Leather Bound Steering Wheel with Up & Down Adjust

Privacy Tinted Glass

Auto Dimming Rear View Mirror

Emergency Glass Break Hammer (we call it a JAC Hammer)

360 Degree Camera, and Reverse Camera

Rain Sensing Windscreen Wipers

Climate Control Air Conditioning with Rear Vents

Pie Warmer or Energy Drink Cooler... Hot / Cool Box integrated into console powered by Air Conditioning System

10.4 inch Touch Screen Entertainment System with Apple Car Play & Android Auto

Wireless Charging for Mobile

Front and Rear USB ports including Type C USB port

Rear 220V three pin charging Socket great for charging tool batteries

6 Speaker System for the tunes

WARRANTY & ROADSIDE ASSIST

24/7 Roadside Assist with Warranty: 5 Year / 200,000km whichever occurs first*

SERVICE INTERVALS

12 months / 15,000km whichever occurs first - under normal use



www.jac.co.nz 0800 922 522 hello@jac.co.nz

Front & Rear Fog Lights

